

Channel Counters

Smolt Counters











Click on the picture to go to the interactive 3D-model

## **Channel Counter B-type**

Three standard widths: 3m, 2m and 1.4m counting width

Size of fish: 50g-12kg

Capacity range: Is wide depending on application

(50-300 ton per hour)

Accuracy: Over 98%



Click on the picture to go to the interactive 3D-model

## **Channel Counter Y-type**

Two standard widths: 1.9m and 1.3m counting width

Size of fish: 50g-12kg

Capacity range: Is wide depending on application

(50-300 ton per hour)

Accuracy: Over 98%



Click on the picture to go to the interactive 3D-model

## **Smolt Counter**

Two standard widths: 1.4m and 2.1m counting width

Size of fish: 50g-12kg

Capacity range: Is wide depending on application

(50-200 ton per hour)

Accuracy: Over 98%



"The use of the counters has allowed us to maximize growth and minimize unnecessary stress by transferring the exact number of fish for harvest and leaving the remaining fish to feed and grow."



We have been using the VAKI Counters on our wellboats for many years. Fast, gentle and accurate delivery of fish is important to us and our customers. Therefore we choose VAKI Counters that are reliable, have huge capacity and very good accuracy. We are pleased for the possibility of documenting all counting with image analysis.

